

IGNITION MODULE

FOR **POWER
COMMANDER III** 

2006-2008 Yamaha Apex

Installation Instructions

Parts List

- 1 Ignition module
- 1 Installation Guide
- 2 Velcro® Strip
- 1 Alcohol Swab
- 2 Zip ties



You can also download the Power Commander software and latest maps from our web site at:
www.powercommander.com

The ignition MUST be turned OFF before installation!
This module is intended to be used in conjunction with Power Commander 423-411

Before this module can be used the Power Commander may need to be updated.
(see included instructions)


PLEASE READ ALL DIRECTIONS BEFORE STARTING INSTALLATION

Fig. A



- 1 Remove the coolant reserve bottle to access the stock wiring harness underneath it (Fig. A).

Fig. B




- 2 Locate the 6 pin clear connector. Unplug this connector (Fig. B).

Fig. C




- 3 Connect the Ignition Module in-line of the stock wiring harness (Fig. C).

Fig. D




- 4 Locate the crank pickup coil connectors (Fig. D).
This is a 2 pin white connector located next to the regulator/rectifier.
- 5 Unplug the crank pickup coil connector.

Fig. E




- 6 Route the 2 pin WHITE connector Ignition Module harness behind the PCIII and down the left hand side of the air box (Fig. E).

Fig F



- 7 Connect the Ignition Module in-line of the stock wiring harness (Fig. F).
- 8 Use the stock zip tie to secure these connectors in place.

Fig. G



9 Install the Ignition Module next to the PCIII (Fig. G).

Use the supplied zip ties to secure the Ignition Module in place.